




T. 27N, R. 8E. 2nd Mer.



T. 28N R. 8E. 2nd Mer.



 The figures on the lines refer to the page.

Township 28 North, Range 8 East 3rd Mer. Indiana

South Boundary-

Var. 5° 40' E.

West on S. Side of Sec. 36

14.09 a Hickory 18 in. dia.

32.74 a Beech 10 " "

40.00 Set gr. Sec. post from which

a Beech 24 in. dia. bears S 23 E 12 W. dist. 4

a Do 10 " " " N 42 E 21 " "

52.55 a Poplar 48 " "

67.73 a Beech 18 " "

80.00 Set post cor. to Secs. 35 & 36 from which

a W. Oak 24 in. dia. bears N 39 E 16 W. dist. 4

a Do 24 " " " S 39 W 19 " "

Land cont. & cont. 2nd rate. Beech. Hickory.
Oak. Elm Sugar. Ash. Poplar. Spruce. P. Oak &c

West on S. Side of Sec. 35

Var. 5° 40' E.

17.81 a Hickory 15 in. dia.

28.89 an Ash 24 " "

40.00 Set gr. Sec. post from which

an Ash 20 in. dia. bears S 57 E 4 W. dist. 4

a Do 10 " " " S 56 W 10 " "

52.21 a Beech 20 " "

65.39 a W. Oak 28 " "

80.00 Set post cor. to Secs. 34 & 35 from which

a Beech 12 in. dia. bears N 54 W 20 W. dist. 4

a Do 28 " " " S 70 W 39 " "

Land cont. 2nd rate. Some of it cont. Beech. Oak.
Elm. Sugar ash. Hickory &c Spruce. P. Oak &c

West on S. Side of Sec. 34

Var. 5° 40' E.

14.65 a Poplar 40 in. dia.

26.92 an Ash 24 " "

40.00 Set gr. Sec. post from which

a Hickory 18 in. dia. bears N 18 E 12 W. dist. 4

a Beech 10 " " " S 65 W 28 " "

W. D. N. W. & E. 2nd Mer. Indiana

48.52 a Poplar 36 in. dia (an old light tree)
 68.06 a Beech 14 " "
 80.00 Let Post cut to Sect. 33 & 34 from which
 an Ash 36 in. dia. was 146 N 33 W. dir. &
 a W. Oak 40 " " " 136 E 22 " "
 The Walnut bearing is dead -
 Sand rolling 2nd rate. Beech. Oak. Ash,
 Sugar. Elm. Poplar. Hickory. Syc. Spruce &
 Oct 12th 1839 -

West on S. Side of Sec. 33 Var. 6th 00' E.
 13.50 a W. Oak 24 in. dia.
 30.46 a Sugar 10 " "
 40.00 Let q. Sec. Post from which
 a Sugar 18 in. dia. was 166 E 14 W. dir. &
 an Ash 20 " " " 166 W 14 " "
 60.45 a Beech 22 " "
 80.00 Let Post cut to Sect. 32 & 33 from which
 a Beech 24 in. dia. was 129 E 4 W. dir. &
 a Do 24 " " " 189 W 39 " "
 One old bearing gone.
 Sand rolling & good 2nd rate. Beech. Sugar.
 Oak. Ash. Walnut. Poplar. Hickory. Spruce &

West on S. Side of Sec. 32 Var. 6th 10' E.
 14.24 a B. Oak 48 in. dia.
 33.77 a Beech 24 " "
 40.00 Let q. Sec. Post from which
 a Buckeye 10 in. dia. was 183 W 21 W. dir. &
 a Do 12 " " " 162 E 15 " "
 58.20 a W. Oak 18 " "
 80.00 Let Post cut to Sect. 31 & 32 from which
 a Beech 18 in. dia. was 128 E 15 W. dir. &
 a Do 24 " " " 120 E 34 " "
 One bearing gone - Sand rolling & good Beech
 Sugar. Oak. Ash. Elm. Hickory. Syc. Spruce &

W.D. T. R. & C. D. Mer. Indiana. 237

West on E. Side of Sec. 31 Var. $6^{\circ}10' E$.
 5.72 Entered N. Bound. of Reserve at the Fork
 Sand & Limb Bank as on the last line -
 Re-Surveyed thus far by E. Carter D.S.

West on E. Side of Sec. 31 as originally run
 from Cor. to Sec. 31 & 32 -
 6.00 Entered a line bearing North & South
 & set a post from which
 an Ash 20 in. dia. bears $N 13^{\circ} E 12$ W. dist. 8
 at Beech 10 " " " $N 8^{\circ} W 32$ " "
 40.00 Set q. Sec. post from which
 at Beech 7 in. dia. bears $N 6^{\circ} E 7$ W. dist. 8
 an Ash 18 " " " $N 71^{\circ} E 27$ " "
 75.00 at Brook 20 W. in. dia. corner N.
 80.00 Entered North line between Ranges 7 & 8
 East Towns 27 & 28 North -
 Surveyed April 4th 1820 by
 John McDonald D.S.

East Boundary.

Var. $5^{\circ}40' E$.
 North on E. Side of Sec. 36 -
 26.47 an Ash 48 in. dia.
 40.00 Set q. Sec. post from which
 at Sugar 28 in. dia. bears $N 8^{\circ} E 12$ W. dist. 8
 at Beech 28 " " " $N 26^{\circ} W 15$ " "
 52.36 at Sugar 16 " "
 67.23 at Beech 18 " "
 80.00 Set post Cor. to Sec. 25 & 36 from which
 at Hickory 18 in. dia. bears $N 53^{\circ} E 9$ W. dist. 8
 at Beech 18 " " " $N 86^{\circ} W 77$ " "
 Land rolling 2nd Nat. Beech. Sugar. Oak. Ash.
 Elm, Hickory, Syc. Poplar &c. no ungth -

North on E. Side of Sec. 25 -

St. Louis, Mo. Indiana.

12.60 a Beech 15 in. dia.

29.47 a Do 6 " "

40.00 Let gr. Sec. post from which

an Elm 16 in. dia. bears S 48 E 13 W. dist. 9

a Do 14 " " " S 70 W 73 " "

53.50 a Stream 50 ft. wide corner A.M.

56.00 a Noctony 24 in. dia.

80.00 Let Post Ch. to Sec. 24 & 25 from which

a Beech 18 in. dia. bears N 70 E 24 W. dist. 8

a Do 18 " " " S 81 W 34 " "

Sand rolling 2nd rate. Beech. Sugar. Oak. Ash. Elm,
Michigan Spruce. Poplar & no ungth.

North on E. Side of Sec. 24-

9.98 a Beech 12 in. dia.

36.16 a Sugar 6 " "

40.00 Let gr. Sec. post from which

a Sugar 12 in. dia. bears N 39 E 17 W. dist. 8

a Buckeye 15 " " " S 54 E 53 " "

54.70 an Elm 6 " "

66.91 a Spruce 6 " "

80.00 Let post ch. to Sec. 13 & 24 from which

a Beech 28 in. dia. bears N 70 E 17 W. dist. 8

a Do 18 " " " N 71 W 23 " "

Sand rolling 2nd rate. Beech. Sugar. Oak. Ash.
Elm. Michigan Spruce. ungth. Spruce &

North on E. Side of Sec. 13-

11.10 a Beech 18 in. dia.

23.95 Intersect Left bank of Wabash River

opposite an Island - Let post from which

an Elm 12 in. dia. bears N 50 E 5 W. dist. 8

a Do 10 " " " S 77 W 16 " "

Resurveyed thus far in Oct. 13th 1839

by C. Carter Sep. Survey-

239

T. 28 N. - R. 8 E. 2nd Mer. Indiana.

South on E. Side of Sec. 1-

- 23.02 Intersect Reserve line & set post from which
 a Beech 20 in. dia. bears N 66 W 46 W. dist. 8
 a Sugar 18 " " " N 46 E 16 " "
 Land line 2nd rate. Beech 8
 Re-surveyed in 1828 by
 W. Bentley Dep. Sur.

North Boundary

Var. 6° 10' E.

West on E. Side of Sec. 36 T. 29 N. - R. 8 E.

- 27.32 an Elm 14 in. dia.
 40.00 Set gp. Sec. post from which
 a Beech 7 in. dia. bears N 40 E 24 W. dist. 8
 a Do 10 " " " N 6 W 5 " "
 65.05 a Do 7 " "
 80.00 Set post Cu. to Sec. 35 & 36 from which
 a Beech 20 in. dia. bears N 67 E 42 W. dist. 8
 a B. Ash 24 " " " N 60 W 18 " "

West on E. Side of Sec. 35 T. 29 N. - R. 8 E.

- 35.26 a N. Oak 18 in. dia.
 39.40 a Stream 12 W. side Corn. S. W.
 40.00 Set gp. Sec. post from which
 a Hawthorn 5 in. dia. bears N 5 E 14 W. dist. 8
 an Ironwood 5 " " " N 43 W 32 " "
 68.44 a B. Ash 18 " "
 76.00 a Stream 30 W. side Corn. S. E.
 78.88 Do 25 " " " N. E.
 79.88 Do 25 " " " S. E.
 80.00 Set post Cu. to Sec. 34 & 35 from which
 a Beech. 9 in. dia. bears N 75 E 26 W. dist. 8
 a Do 12 " " " N 70 W 38 " "

West on E. Side of Sec. 34 T. 29 N. - R. 8 E.

- 25.99 a Beech 14 in. dia.

T29 N. - R. 8 E. T²₂ Mer. Indiana.

- 40.00 Set gr. Sec. Post from which
 an Ironwood 4 in. dia. bears N 10 E 30 W. dir. 8
 a Do 8 " " " N 35 W 22 " "
- 66.10 a N. Oak 48 " "
- 80.00 Set Post Cn. to Sec. 33 & 34. from which
 a Cherry 10 in. dia. bears N 80 E 11 W. dir. 8
 a N Oak 4 " " " N 70 W 7 " "

West on S. Side of Sec. 33 T29 N. - R. 8 E.

27.44 an Ironwood 6 in. dia.

- 40.00 Set gr. Sec. Post from which
 an Ironwood 6 in. dia. bears N 21 E 17 W. dir. 8
 a Buckeye 7 " " " N 5 W 14 " "

53.53 a Stream 16 W. wide from S.

57.70 Do 14 " " " N.E.

59.70 Do 14 " " " S.E.

76.64 a Sugar 21 in. dia.

- 80.00 Set Post Cn. to Sec. 31 & 32 from which
 an Ironwood 7 in. dia. bears N 34 E 53 W. dir. 8
 a Do 7 " " " N 60 W 32 " "

West on S. Side of Sec. 32 T29 N. - R. 8 E.

28.70 a N. Oak 18 in. dia.

- 40.00 Set gr. Sec. Post from which
 a Beech 11 in. dia. bears N 35 E 18 W. dir. 8
 a Do 6 " " " N 20 W 30 " "

57.54 a N. Oak 10 " "

- 80.00 Set Post Cn. to Sec. 31 & 32 from which
 a Poplar 16 in. dia. bears N 64 E 59 W. dir. 8
 a Beech 10 " " " N 32 W 17 " "

West on S. Side of Sec. 31 T29 N. - R. 8 E.

29.12 a Elm asp 24 in. dia.

- 40.00 Set gr. Sec. Post. from which
 a Maple 18 in. dia. bears N 38 E 53 W. dir. 8
 an Elm 24 " " " N 51 W 39 " "

244

Sec. 28 N. - R. 8 E. 2nd Mer. Indiana

60.50 an Elm 14 in. dia.
 70.90 a Stream 20 W. side Cornus &
 71.89 Do 19 " " " No.
 80.50 Intersection Range line 49 W. N. of Temp.
 Town Corner & Set Post at intersection Cor. to
 Towns 28 & 29 North. Ranges 7 & 8 East, p. which
 a Beech 18 in. dia. bears N 11 E 20 W dist. 9
 a Do 20 " " " N 69 W 80 " "
 Land lent 2nd rate. Similar Beech. Oak &
 Hickory ungth Spruce & Ironwood -
 November 10th 1827 Surveyed by
 David Hillis S. G.

West Boundary.

Var. 6° 30' E

North on E. Side of Sec. 36 T. 28 N. - R. 7 E -
 33.85 a Sugar 18 in. dia.
 40.00 Set gr. Sec. Post from which
 a Walnut 12 in. dia. bears N 66 W 17 W. dist. 8
 a Buckeye 10 " " " N 20 E 20 " "
 46.10 Intersection Wabash River & Set Post on Left Bank
 a Buckeye 20 in. dia. bears N 83 E 13 W. dist. 9
 a Hackberry 24 " " " N 68 W 18 " "
 Land 1st rate. Similar Sugar. Elm. Hackberry &
 April 6th 1820 Surveyed by
 John M. Donald S. G.

North - continue on E. Side of Sec. 36 T. 28 N. R. 7 E -
 Beginning at the Post on the South Bank
 of the Wabash - Var. 6° 15' E -
 3.80 Set Post on the N. Bank of Wabash p. which
 a Sugar 7 in. dia. bears N 42 W 8 W. dist. 8
 a Do 6 " " " N 56 E 16 " "
 21.77 a Do 15 " "
 33.90 Set Post Cor. to Secs. 35 & 36 from which
 a Buckeye 10 in. dia. bears N 37 W 11 W. dist. 8

T. 28 N. - R. 8 E. D² Mer. Indiana

a Buckeye 9 in. dia. bears S 27 N 25 W. dist.

North on E. Side of Sec. 25 T. 28 N. - R. 7 E.

10.88 a Stream 20 W. wide corner S. W.

23.75 Intersect N. line of La Croix Resens^{at post} from which
a Beech 10 in. dia. bears N 70 W 14 W. dist. X
an Elm 15 " " " N 54 E 14 " "

25.09 a Beech 18 " "

28.32 a Stream 19 W. wide corner S. E.

40.00 Set q. Sec. post from which
a Buckeye 4 in. dia. bears S 48 W 7 W. dist. X
an Ironwood 6 " " " N 69 W 11 " "

66.22 a Beech 28 " "

80.00 Set post cor. to Sec. 24 & 25 from which
a Beech 24 in. dia. bears S 53 W 20 W. dist. X
an Ironwood 4 " " " N 44 W 15 " "

North on E. Side of Sec. 24 T. 28 N. - R. 7 E.

21.12 a Beech 15 in. dia.

40.00 Set q. Sec. post from which
an Ironwood 5 in. dia. bears S 37 W 33 W. dist. X
a Dogwood 5 " " " N 34 W 16 " "

63.88 a Beech 16 " "

80.00 Set post cor. to Sec. 13 & 24 from which
a Bur Oak 40 in. dia. bears S 27 W 8 W. dist. X
an Ironwood 6 " " " N 88 W 10 " "

North on E. Side of Sec. 13 T. 28 N. - R. 7 E.

25.08 a Beech 12 in. dia.

40.00 Set q. Sec. post from which
a Beech 18 in. dia. bears S 6 W 60 W. dist. X
a Do 18 " " " N 34 W 24 " "

63.32 a W. Oak 45 " "

80.00 Set post cor. to Sec. 12 & 13 from which
a Beech 18 in. dia. bears S 36 W 30 W. dist. X
a Do 18 " " " N 36 W 27 " "

243

T. 28 N. - R. 8 E. 2nd Mer. Indiana.

North on E. Side of Sec. 12 T. 28 N. - R. 7 E -

24.07 a W. Oak 20 in. dia.

40.00 Let gr. Sec. post from which

a Sugar 15 in. dia. bears S 28 W 33 W. dist. 8

a B. Ash 7 " " " N 9 W 23 " "

65.68 a Beech 17 " "

80.00 Let post cut to Sect 14 & 12 from which

a Beech 6 in. dia. bears S 23 W 26 W. dist. 8

a Do 10 " " " N 86 W 15 " "

North on E. Side of Sec. 1 T. 28 N. - R. 7 E -

30.68 a B. Ash 24 in. dia.

40.00 Let gr. Sec. post from which

a B. Ash 6 in. dia. bears S 58 W 15 W. dist. 8

a Hickory 18 " " " N 37 W 36 " "

74.54 a Beech 12 " "

80.00 Let post for the Temporary Township Corner

1st mile on this Boundary. 1st rate land,

the balance 2nd rate, Timber Beech, Birch,

Oak & ungth Beech, Spruce & -

October 30th - 1837 Surveyed by

David Hillis D. S. -

Subdivision

Var - 6° 10' E -

East on Random between Sects 7 & 18 -

40.00 Let temp. gr. Sec. post -

42.00 a Branch 6 in. dia. corner N.E.

63.50 a Do 6 " " " S.E.

80.00 Let temp. post for Sects 7, 8, 17 & 18 -

Land cont 2nd rate, Timber Beech, Oak, Ash, Hickory

Sugar, Poplar & ungth Spruce &

East on Random between Sects 8 & 17

7.50 a Branch 8 in. dia. corner N.E.

33.00 Do 8 " " " S.E.

J. D. N. R. & Co. Ind. Mr. Indiana

40.00 Let temp. gr. Lec. Post -
 80.00 Let temp. Post for Sects 8, 9, 16 & 17
 Land rolling & rich. Timber as before -

East on Random between Sects 9 & 16 -
 38.00 at Branch 6 mi. wide Corn. N.E.
 40.00 Let temp. gr. Lec. Post -
 76.00 at Branch 7 mi. wide Corn. S.E.
 80.00 Let temp. Post for Sects 9, 10, 15 & 16 -
 1st 1/2 mile 2nd rate. Last 1/2 1st rate land -
 Birch, Oak, Oak, Sugar, Poplar, Walnut &
 ungt. Spruce, Dogwood, Ironwood, W. Beech &c

East on Random between Sects 10 & 15 -
 17.50 at Branch 6 mi. wide Corn. S.E.
 37.00 Do 6 " " " N.E.
 40.00 Let temp. gr. Lec. Post -
 80.00 Let temp. Post for Sects 10, 11, 14 & 15 -
 Land broken & rich. Timber as before.

East on Random between Sects 11 & 14 -
 25.00 at Branch 25 mi. wide Corn. S.E.
 40.00 Let temp. gr. Lec. Post -
 73.00 at Branch 6 mi. wide Corn. S. East -
 80.00 Let temp. Post for Sects 11, 12, 13 & 14
 Land hilly, yet rich. Timber Oak, Oak, Poplar &
 Spruce, Hickory, Ironwood &c

East on Random between Sects 12 & 13 -
 25.00 at Branch 6 mi. wide Corn. S.E.
 40.00 Let temp. gr. Lec. Post -
 54.00 Interest Since of Resend of 10 Sections -
 84.00 Interest Range line 485 mi S. of Post
 Land broken & rich -

West corner between Sects 12 & 13 -

245

28 N. R. & E. 2nd Mer. Indiana.

- On line of Resens and on true line Set Post
 Cu. to track. Lec. 12 & 13 from which
 a Beech 15 in. dia. bears N 75 W 24 W. dist. 8
 a Sugar 13 " " " N 40 E 17 " "
 10.00 Set q. Lec. post from which
 a Beech 24 in. dia. bears N 47 W 18 W. dist. 9
 a Do 16 " " " S 70 E 8 " "
 50.00 Set Post Cu. to Lec. 11, 12, 13 & 14 from which
 a Beech 20 in. dia. bears N 65 E 11 W. dist. 8
 a Do 12 " " " S 37 E 20 " "

- South Return Lec. 13 & 14
 23.50 at Branch 6 W. under Corn. 4. E.
 28.00 Do 5 " " " S. W.
 28.23 Entered Mabash River & set post fr. which
 a Willow 10 in. dia. bears S 8 E 30 W. dist. 9
 a Do 9 " " " East 43 " "
 Sand very hilly. Oak timber.
 May 12th 1828-

- North Return Lec. 11 & 12
 13.00 a Beech 12 in. dia.
 40.00 Set q. Lec. post from which
 a Beech 10 in. dia. bears N 30 W 27 W. dist. 8
 a Do 20 " " " S 45 W 21 " "
 54.30 at Hickory 24 " "
 80.00 Set Post Cu. to Lec. 1, 2, 11 & 12 from which
 a Poplar 12 in. dia. bears S 8 E 17 W. dist. 8
 a Beech 12 " " " S 25 W 10 " "
 Sand very good 2nd rate. Beech. Ash. Oak,
 Hickory. Sugar Poplar. & some Walnut &
 much Spruce ash &c

- East Return Lec. 14 & 12
 20.20 a Beech 16 in. dia.
 40.00 Set q. Lec. post from which

28 N. R. 8 E. 2nd Mer. Indiana

a Beech 14 in. dia. bears S 52 W. 10 W. dist. 9
 a Dogwood 7 " " " N 22 E 17 " "

44.95 an Ash 24 " "

50.33 Intersect N. Bound. of Resens 63.16 South of
 N.W. Corner & set post from which

an Ash 35 in. dia. bears N 83 W 24 W. dist. 9

a Beech 18 " " " S 75 E 26 " "

Land rich. Timber same as before -

From this corner, measured North to the
 N.W. Corner of Resens 63.16 - thence East to
 the Range line along N. Bound. of Resens
 28.19. when made corner to Sec. 14 & 6 at the
 Intersection of Range & Resens line. But
 found a Corner already established, the
 Witnesses are

a Beech 20 in. dia. bears N 65 W 45 W. dist. 9

a Sugar 20 " " " S 66 E 17 " "

Thence North to the Town Corner. 18.57 -

North Between Sec. 14 & 2

6.20 at Branch 8 W. side Corner N.W.

32.00 a Beech 12 in. dia.

40.00 Set q. Sec. post from which

a Beech 12 in. dia. bears S 35 E 12 W. dist. 9

a Do 8 " " " West 16 " "

75.60 an Ironwood 7 " "

80.21 Intersect N. Bound. line 48 W. E. of Post -
 where set post cor. to Sec. 14 & 2 from which

a Beech 14 in. dia. bears S 14 E 17 W. dist. 9

a Do 18 " " " S 39 W 19 " "

1st 1/2 mile lent. Last 1/2 rolling 2nd into land.

West Corner between Sec. 11 & 14

40.00 Set q. Sec. post from which

a Walnut 6 in. dia. bears S 16 E 16 W. dist. 9

a Willow 8 " " " West 39 " "

247

No 28 N. - R. & E. 2nd Mer. Indiana.

80.00 Let Post Car. to Secs. 10, 11, 14 & 15 from which
an Elm 11 in. dia. was 07 ft E 3 ft dist. &
an Ironwood 6 " " " N 35 W 10 " "

North Return Secs. 10 & 11 -

.25 a Stream 20 ft wide Corum S. E.

8.20 a W. Oak 36 in. dia.

22.00 a Stream 22 ft wide Corum S. W.

40.00 Let gr. Sec. Post from which
a Buckeye 12 in. dia. was N 30 E 7 ft dist. &
a Hickory 11 " " " S 20 W 14 " "

44.50 a Buckeye 12 " "

53.00 a Stream 20 ft wide Corum S. E.

66.00 a Do 18 " " " S. W.

80.00 Let Post Car. to Secs. 2, 3, 10 & 11 from which
a Buckeye 6 in. dia. was S 10 E 7 ft dist. &
a Beech 15 " " " S 65 W 30 " "

Land very broken. Timber Oak, ash, Sugar,
Poplar, & ungt. Spice Dogwood &c

East with R. and M. Return Secs. 2 & 11 -

15.00 a Stream 16 ft wide Corum S.

40.00 Let temp. gr. Sec. Post -

81.00 Intended M. S. line at Post.

1st 1/2 mile broken. Last 1/2 rolling 2nd rate -
Land - Timber & ungt. Same as before -

West Corner Return Secs. 2 & 11 -

40.50 Let gr. Sec. Post at average dist. from which
an Ironwood 6 in. dia. was N 55 E 4 ft dist. &
a Dogwood 4 " " " S 70 W 9 " "

81.00 To Sec. Corner.

North Return Secs. 2 & 3

8.30 a Beech 30 in. dia.

40.50 Let gr. Sec. Post from which.

J. D. N. - R. & Co. Ind. Indiana

an Ironwood 8 in. dia. bears S 35 E 14 W. dir. of
 a Do 8 " " " N 33 W 15 " "
 44.80 a W. Ash 30 " "
 63.00 a Stream 7 hrs. ride from S.E.
 81.50 Intersect N. Bound. line 110 W. N. of post
 where set post car. to Loc. 2 & 3 from which
 a Beech 15 in. dia. bears S 80 E 25 W. dir. of
 a Buckeye 10 " " " S 56 W 30 " "
 Sand broken & rich. May 13th. 1828.

South Betwixt Loc. 14 & 15 -

16.00 an ash 30 in. dia.
 40.00 Set q. Loc. post from which
 a Beech 9 in. dia. bears N 42 W 14 W. dir. of
 a Do 26 " " " N 34 E 14 " "
 46.00 a Do 30 " "
 80.00 Set post car. to Loc. 14. 15. 22 & 23 from which
 a Beech 18 in. dia. bears S 45 W 28 W. dir. of
 a Do 12 " " " S 75 E 28 " "
 Sand very broken yet rich. Timber Oak. Ash. Hick-
 -ory, Sugar, Walnut & Spruce. Ironwood. Dogwood Pecan &c.

East Betwixt Loc. 14 & 23 -

18.58 Intersect the Natash River & set post from which
 a Hackberry 18 in. dia. bears N 65 E 4 W. dir. of
 a W. Beech 6 " " " N 75 W 21 " "
 Sand level & rich

South Betwixt Loc. 22 & 23

8.50 a Beech 16 in. dia.
 13.00 Intersect the Natash River & set post from which
 a Willow 12 in. dia. bears S 44 E 35 W. dir. of
 an Elm 11 " " " N 33 W 26 " "
 Sand level & rich

West corner betwixt Loc. 10 & 15 -

249

W. D. N. R. & E. 2nd Me. Indiana.

40.00 Let q. Lee. Post from which
 on Ironwood 5 in. dia. bears N 7 E 17 W. dir. 8
 a R. Oak 33 " " " North 30 " "
 80.00 Let Post Cu. to Lee. 9. 10. 15 & 16 from which
 on Ironwood 16 in. dia. bears S 55 E 9 W. dir. 8
 a Beech 11 " " " N 62 W 16 " "

North Return Lee. 9 & 10.

24.80 on Elm 18 in. dia.
 34.00 a Branch 20 W. side Corn. S. E.
 40.00 Let q. Lee. Post from which
 on Elm 7 in. dia. bears N 77 W 9 W. dir. 9
 on Ironwood 8 " " " N 77 E 29 " "
 52.00 on Elm 18 " "
 56.00 a Spring Branch Course S. E.
 80.00 Let Post Cu. to Lee. 3. 4. 9 & 10 from which
 a Beech 17 in. dia. bears N 78 E 17 W. dir. 8
 a No 19 " " " West 20 " "
 Sand broken, thin Soil, very close underbrush.

East on Random between Lee. 3 & 10.

40.00 Let temp. q. sec. post.
 45.00 a Branch 6 W. side Corn. S. W.
 65.00 a Do 8 " " " S. W.
 79.54 Intersect. Rd. line 118 W. N. of Post.
 1st 1/2 mile Cent 2nd rate. Last 1/2 rolling do-
 well timbered - Spruce, Ash, Beech &

West Corner between Lee. 3 & 10.

39.77 Let q. Lee. Post at corner dir. from which
 a Cherry 8 in. dia. bears N 32 W 13 W. dir. 8
 a Beech 18 " " " S 46 E 25 " "
 79.54 To Lee. Corner.

North Return Lee. 3 & 4.

20.80 on Ash 33 in. dia.

M. D. N. R. & Co. 2nd Mer. Indiana

46.00 Let gr. Lec. post from which
 a Beech 11 in. dia. bears N 5 E 16 mi. dist. of
 a Do 14 " " " N 11 W 38 " "

56.50 a R. Oak 36 " "

81.04 Intersect N. Bound. line 98 mi. E. of Post -
 When set Post cut to Loc. 344 from which
 an Ash 30 in. dia. bears N 25 E 17 mi. dist. of
 a Beech 11 " " " N 42 E 15 " "

South Between Loc. 15 & 16

1.50 a Beech 30 in. dia.

13.00 a Stream 6 mi. wide corner S. E.

35.00 a Do 6 " " " S. E.

40.00 Let gr. Lec. post from which

a Beech 20 in. dia. bears N 8 W 20 mi. dist. of

a Do 16 " " " N 43 E 6 " "

48.50 an Ash 30 " "

60.00 Let post cut to Loc. 15, 16, 21 & 22 from which

a Beech 9 in. dia. bears N 64 E 19 mi. dist. of

a Do 18 " " " N 34 W 50 " "

Land broken, good 2nd rate Beech, Ash, Oak,
 Sugar, Poplar, Walnut, ungt. thick mostly Spruce

East in Random Between Loc. 15 & 22.

25.50 a Branch 8 mi. wide corner S. E.

40.00 Let temp. gr. Lec. post -

79.00 Intersect N. line 72 mi. E. of Post -

1st 1/2 mile broken East 1/2 line 2nd rate. Timber same

West Corner Between Loc. 15 & 22 -

39.50 Let gr. Lec. post at a mag. dist. from which

a Beech 12 in. dia. bears N 39 E 30 mi. dist. of

a Do 12 " " " N 30 W 46 " "

79.00 So Lec. Corner

South Between Loc. 21 & 22

W. J. N. R. & Co. J^{rs} Ma. Indiana

251

30.00 a Buckeye 8 in. dia.
 40.00 Let gp. Lec. post from which
 a Beech 12 in. dia. bears N 28 W 8 W. dist. 9
 a Do 16 " " " N 47 W 19 " "
 64.46 Entered the Wabash River & set post from which
 a Spruce 20 in. dia. bears N 61 W 4 W. dist. 9
 a Beech 20 " " " N 73 E 9 " "
 1st 1/2 mile broken, remainder bent & rich
 Beech. ash. Oak. Sugar. Poplar. Walnut &c
 Spec. Ironwood &c May 14th 1828-

Was correct between Lect. 9 & 16-

40.00 Let gp. Lec. post from which
 a Beech 12 in. dia. bears S 85 E 19 W. dist. 9
 a W. Beech 6 " " " N 46 W 18 " "
 80.00 Let post cut to Lect. 8, 9, 16 & 17 from which
 an Elm 19 in. dia. bears S 55 E 6 W. dist. 9
 a Beech 18 " " " N 66 W 32 " "

North Between Lect. 8 & 9-

20.00 a Stream 12 W. wide corner S. E.
 21.70 an Ironwood 8 in. dia.
 40.00 Let gp. Lec. post from which
 a Beech 12 in. dia. bears S 53 E 4 W. dist. 8
 a Do 10 " " " N 65 W 13 " "
 48.00 a Do 16 " "
 64.50 a Stream 20 W. wide corner S. E.
 80.00 Let post cut to Lect. 4, 5, 8 & 9 from which
 an Ironwood 6 in. dia. bears S 53 W 13 W. dist. 8
 a Beech 10 " " " N 27 E 28 " "
 Sand broken, yet good & rate. Close underwood-

East on Randan between Lect. 4 & 9-

16.50 a Branch 6 W. wide corner S. E.
 40.00 Let temp. gp. Lec. post.
 63.50 a Branch 16 W. wide corner S. W.

J. D. N. R. & E. I. Indiana

79.75 Intersect M. line 66 W. N. of Post-
 Sand rolling 2nd rate. Beech. Oak. ash. Sugar.
 Poplar & Walnut - underwood very close and
 principally Spice Dogwood &c

West Corner between Secs. 44 & 49

39.87 Set g. Sec. Post at approx. dist. from which
 a Beech 20 in. dia. bears N 4 E 19 W. dist. 8
 an Ironwood 5 " " " S 30 E 12 " "

79.75 To Sec. Corner.

North Between Secs. 44 & 45 -

28.00 a Beech 15 in. dia.

40.00 Set g. Sec. Post from which
 a Beech 11 in. dia. bears S 6 W 4 W. dist. 8
 an Ironwood 6 " " " S 10 E 18 " "

51.10 a W. Oak 24 " "

65.00 a Stream 8 W. side Corner S. E.

80.78 Intersect N. Round. line 165 W. E. of Post-
 where Set Post Cn. to Sec. 44 & 45 from which
 a Sugar 40 in. dia. bears N 5 W 14 W. dist. 8
 a Do 18 " " " S 7 E 31 " "

Sand rolling, good 2nd rate. Beech. Oak. Ash.
 Sugar. &c. Spies. Ironwood. Dogwood. Hickory &c

South Between Secs. 16 & 17

11.00 an Ash 24 in. dia.

40.00 Set g. Sec. Post from which
 a Beech 20 in. dia. bears S 22 W 36 W. dist. 8
 a Do 8 " " " S 72 W 18 " "

53.80 a Do 18 " "

80.00 Set Post Cn. to Secs. 16, 17, 20 & 21 from which
 a Sugar 8 in. dia. bears S 76 E 21 W. dist. 8
 a Beech 20 " " " S 35 E 17 " "

Sand line 2nd rate. 1st 1/2 mile inclining to west.
 Beech. Oak. Ash. Sugar. Spice. Maple &c

253

W. D. N. R. & E. Ind. Mer. Indiana.

East on Random between Secs. 16 & 21 -

40.00 Let imp. q. Sec. Post
 67.00 a Spruce 10 W. wide Corn S.
 79.36 Intersect Mt. line 30 W. S. of Post -
 Land rolling & very rich. Timber as before -

West Corner of between Secs. 16 & 21 -

39.68 Let q. Sec. Post at average dist. from which -
 a Beech 18 in. dia. bears S 140 W. 35 W. dist. 1/2
 a Do 18 " " " S 12 E 16 " "
 79.36 To Sec. Corner

South Between Secs. 20 & 21

7.60 a Beech 20 in. dia.
 40.00 Let q. Sec. Post from which
 a Beech 15 in. dia. bears N 48 E 12 W. dist. 1/2
 an Ash 20 " " " N 68 W 17 " "
 60.40 a Beech 12 " "
 66.00 a Branch 8 W. wide Corn S. E.
 80.00 Let Post C. to Secs. 20, 21, 28 & 29 p. which
 a Beech 18 in. diam. bears S 62 E 8 W. dist. 1/2
 a Do 19 " " " N 3 E 16 " "
 1 1/2 miles Land very broken. Last 1/2
 rolling 1st Rate. Beech. Poplar. Ash. Sugar.
 ungt. Spruce. Dogwood &c

East Between Secs. 21 & 28 -

11.65 a Sugar 20 in. dia.
 27.00 a Branch. 9 W. wide Corn S.
 40.00 Let q. Sec. Post - from which
 a Walnut 7 in. dia. bears S 39 E 13 W. dist. 1/2
 a Buckeye 8 " " " N 38 E 11 " "
 42.60 a B. Oak 30 " "
 44.50 Intersect Wabash River & set Post from which
 a Walnut 12 in. dia. bears N 35 W 76 W. dist. 1/2
 a W. Oak 18 " " " N 75 W 92 " "

W 28 N. R. & E. 2nd Mer. Indiana

Land level & rich - May 15th 1828 -

South Return Loc. 28 & 29

8.50 a Sugar 24 in. dia.

38.84 Intersect Mabash River Set post fr. which

a W. Oak 4 in. dia. bears N 2 E 8 W. dir. 8

a Lycamore 8 " " " S 13 N 32 " "

Land level 1st rate

West corner between Loc. 8 & 17 -

40.00 Set g. Loc. post from which

an Ironwood 6 in. dia. bears N 39 E 8 W. dir.

a Hickory 6 " " " N 73 W 5 " "

80.00 Set Post Co. to Loc. 7. 8. 17 & 18 from which

a Lycamore 20 in. dia. bears S 24 E 8 W. dir. 8

a W. Oak 36 " " " N 27 E. 10 " "

North Return Loc. 7 & 8

12.70 a W. Oak 24 in. dia.

27.00 a Branch 6 W. wide corner S. E.

40.00 Set g. Loc. post from which

a W. Oak 16 in. dia. bears S 13 N 32 W. dir. 8

a Beech 11 " " " N 38 E 16 " "

69.50 a Hickory 24 " "

80.00 Set Post Co. to Loc. 5. 6. 7 & 8 from which

a B. Ash 9 in. dia. bears N 28 E. 8 W. dir. 8

a Do 9 " " " S 68 W 12 " "

Land rolling 2nd rate. Beech. Ash. Oak.

Sugar. Poplar. Spice. W. Beech. Dogwood &c

East on Random between Loc. 5 & 8 -

40.00 Set temp. g. Loc. post -

70.00 a Stream 18 W. wide corner S. E.

79.50 Intersect N.S. line 72 W. N. of Post -

Land very broken. Soil good -

N. 28 N. R. & E. 2nd Mer. Indiana.

West Corner between Secs. 3 & 8 -

39.75 Set gp. Sec. post at average dist. from which
a Beech 15 in. dia. bears S 101° 16' W. dist. 9
a Do 11 " " " N 66° E 21 " "
79.50 To Sec. Corner.

North Return Secs. 5 & 6 -

.50 a Stream 15 W. into Corner E.
36.60 a Beech 10 in. dia.
40.00 Set gp. Sec. post from which -
a Beech 11 in. dia. bears S 12° 11' E 9 W. dist. 9
a Hickory 12 " " " S 84° E 38 " "
53.00 a Stream 8 W. into Corner S. E.
62.50 a Beech 12 in. dia.
80.75 Intersect N. Round. line 29 W. N. of post.
where set Post Cu. to Secs. 5 & 6 from which
a Beech 12 in. dia. bears N 47° E 22 W. dist. 9
a Do 14 " " " S 33° W 24 " "
Land, 1st 1/2 mile rolling & rich 2nd rate.
Last 1/2 do. level & not so rich. Timber
Beech. Ash. Oak. Sugar. 10th Land. Immersed

West Return Secs. 6 & 7.

10.00 a H. Oak 30 in. dia.
40.00 Set gp. Sec. post from which
an Elm 11 in. dia. bears N 11° W 5 W. dist. 9
a Beech 8 " " " S 82° E 17 " "
58.60 an Ash 36 " "
82.17 Intersect N. Round. line 120 W. N. of Post
where set Post Cu. to Secs. 6 & 7 from which
a Beech 22 in. dia. bears N 82° E 22 W. dist. 9
an Elm 4 " " " N 11° W 18 " "
Land rolling 2nd rate. May 16th 1828 -

West Corner between Secs. 7 & 18 -

40.00 Set gp. Sec. post from which

of 28 N. 70. 8 E. 2nd Mer. Indiana.

at Birch 20 in. dia. Vans N 80 E 12 W. dir. of
 of Do 18 " " " N 82 W 24 " "
 84.00 Intersect Range line (N. Bound.) at Post

South Return Secs. 17 & 18 -

3.50 at N. Oak 36 in. dia.
 10.00 at Branch 8 W. wide Corn. S. W.
 40.00 Set gp. Sec. Post from which
 at Poplar 33 in. dia. Vans N 30 W 16 W. dir. of
 and Ironwood 7 " " " East 12 " "
 44.15 at Beech 12 " "
 80.00 Set Post Cn. to Secs. 17, 18, 19 & 20 from which
 at N. Oak 14 in. dia. Vans N 80 W 13 W. dir. of
 and Ironwood 7 " " " N 80 E 20 " "
 Sand lent 2nd rate.

East at Random between Secs. 17 & 20 -

40.00 Set temp. gp. Sec. Post -
 66.50 at Branch 6 W. wide Corn. S. E.
 79.00 Intersect N. S. line 48 W. N. of Post -
 1st 1/2 mile Sand lent 2nd rate. Last 1/2 do
 rolling & rich -

West Corner between Secs. 17 & 20 -

39.50 Set gp. Sec. Post at angle dir. from which
 at Beech 10 in. dia. Vans S 10 W 22 W. dir. of
 at Do 12 " " " N 80 E 29 " "
 79.00 To Sec. Corner.

West Return Secs. 18 & 19 -

40.00 Set gp. Sec. Post from which
 at Spruce 15 in. dia. Vans N 37 W 12 W. dir. of
 at Hickory 8 " " " S 35 W 12 " "
 44.70 at N. Oak 30 " "
 84.50 Intersect N. Bound. line at Post -
 1st 1/2 mile Sand lent & Swampy 3rd rate,

257

W. D. N. - R. & E. 2nd Ma. Indiana

*Last 1/2 do - rolling 2nd rate, Timber Beech.
Oak, Ash, Hickory, Poplar, Maple, Sugar &
underwood. Spice, Dogwood, Ironwood &c -*

South Return Secs. 19 & 20 -

*3.20 a W. Oak 20 in. dia.
40.00 Let gr. Sec. Post from which
a Beech 18 in. dia. bears N 45 W 22 1/2 W. dist.
a Spruce 5 " " " S 40 E 5 " "
47.00 a Hickory 20 " "
80.00 Let Post Co. to Secs. 19, 20, 29 & 30 from which
a Beech 14 in. dia. bears S 49 E 11 W. dist. of
a Do 18 " " " N 45 E 36 " "
Land rolling 1st Rate. Beech, Ash, Sugar,
Poplar, Elm & Spice &c*

East & Random Returns Secs. 20 & 29 -

*15.00 a Branch 6 W. wide Corn S. E -
40.00 Let temp. gr. Sec. Post -
44.00 a Branch 8 W. wide Corn S. E -
79.50 Intersect M. line 60 W. N. of Post -
1st 1/2 mile rolling Last 1/2 lent, all 1st rate land.*

West Corner Return Secs. 20 & 29 -

*39.75 Let gr. Sec. Post at average dist. from which
a Beech 20 in. dia. bears South 3 W. dist. of
a Do 16 " " " North 8 " "
79.50 To Sec. Corner.*

West Return Secs. 19 & 30 -

*6.90 a Poplar 24 in. dia.
40.00 Let gr. Sec. Post from which
a Spruce 10 in. dia. bears N 84 E 22 W. dist. of
a Sugar 11 " " " S 15 W 17 " "
53.00 a Branch 6 W. wide Corn S. W.
68.50 a W. Walnut 10 in. dia -*

W 28 N. - 41.8 E. 2nd Mer. Indiana.

69.50 at Branch of Mt. Union Comm. S. W.

83.21 Intersect N. Bound. line 172 W. S. of Post-
when set Post Cu. to Sect. 29 & 30 from which
a Beech 11 in. dia. bears N 36 E 27 W. dist. 9
a B. Ash 9 " " " 15 W 17 " "
Land very broken, yet rich. Beech, Ash.
Oak. Hickory. Spice. Ironwood &c

South Between Sect. 29 & 30

8.80 a Sugar 30 in. dia.

24.56 a Spring branch Comm. S. E.

40.00 Set q. Sec. post from which

a Beech 8 in. dia. bears N 38 W 17 W. dist. 9

a Do 7 " " " 65 E 5 " "

41.85 a W. Oak 30 " "

53.90 Intersect N. Bound. of Le Gros' Reserve

28.35 W. of the N. E. Corner set Post Cu. to
frac. Sect. 29 & 30 from which

a Beech 8 in. dia. bears N 3 W 31 W. dist. 8

a Do 11 " " " 85 W 28 " "

Land broken & rich Beech. Oak. Ash.
Poplar. Walnut. Sugar. Spice. Dogwood.
Ironwood Sugar &c

East Between Sect. 29 & 32.

From the N. E. Corner of Le Gros' Reserve

24.10 South on line of Reserve set Post-

Post Cu. to frac. Sect. 29 & 32 from which

a Buckeye 18 in. dia. bears 30 E 35 W. dist. 9

an Ironwood 10 " " " 40 E 23 " "

6.75 an Elm 30 " "

11.65 Set q. Sec. post from which

a Hackberry 11 in. dia. bears 85 W 19 W. dist. 8

a W. Oak 27 " " " 60 W 17 " "

15.65 Intersect Wabash River set Post Cu. to
frac. Sect. 29 & 32 from which

259

W. G. N. H. & E. 2nd Mer. Indiana.

a Willow 12 in. diam. bar S 42 E 18 1/2 dist. 8
 a Sycamore 44 " " " N 65 W 44 " "
 Sand level & rich May 17th 1828—

Meanders of the Wabash River
 Beginning at post in E. Bound. line of
 Le Gros Reserve—thence up the River
 on Right Bank as follows—

Courses	Distances	Remarks
N 64 E	3.68	In Sec. 32
N 34 E	22.25	To post in line of Sect. 29 & 32. opposite a large Willow bar.
N 34 E	10.50	In Sec. 29—
N 48 E	14.00	
N 56 E	7.00	Lower end of Island—
N 28 E	11.00	Upper " " Do— at 7.30 a beautiful Spring branch—
N 45 E	11.50	To post in line of Sect. 28 & 29
N 48 E	4.50	In Sec. 28
N 44 E	15.00	Wabash road to Treaty ground &c—
N 69 E	12.00	
N 36 E	6.00	
N 49 E	11.00	
N 32 E	11.00	To post in line of Sect. 21 & 28—
N 43 E	20.00	In Sec. 21— at 17.00 Mouth of a Spring branch and upper end of Willow bar
N 85 E	20.00	
N 44 E	1.61	To post in line of Sect. 21 & 22—
N 60 E	8.00	In Sec. 22—
N 71 E	5.00	
N 57 E	7.50	

W. J. R. & Co. 2nd Mer. Indiana

N46E	11.00	
N39E	4.00	
N33E	26.00	Mouth of Branch 8 W. side - fr. N.
N64E	8.00	
N82E	7.00	
N77E	21.00	
N66E	1.59	To Post in line of Sect. 22 & 23 - Opposite <u>Black Loon</u> Village
N82E	8.00	In Sec. 23 -
N56E	7.00	
N35E	8.00	
N8E	1.04	To Post in line of Sect. 14 & 23 -
N15E	19.00	In Sec. 14 -
N36E	11.00	
N59E	24.00	at 13.00 a handsome "Ripple" with good banks. which will prob- ably afford a mill site
N24E	14.00	Mouth of a Branch 25 W. side fr. N.
East	11.50	
S80E	9.00	
N86E	3.14	To Post in line of Sect. 13 & 14 at the mouth of a Branch -
S73E	7.00	In Sec. 13 -
S57E	5.00	
S65E	24.00	
S56E	7.25	
S81E	7.00	
East	2.90	To Post in N. Bound. of Reserve of Ten Sections - at the foot of a fine "Ripple" Perhaps a mill site

Pursuant to a Contract, dated January
29th 1828, with, and instructions from

261

Town 28 N. - R. 8 E. T. 2nd Mer. Indiana.

Edward Tiffin Surveyor General of the United States. I have surveyed and subdivided into sections the foregoing Township in Indiana, as described in said Contract. And I certify that the foregoing are correct and true field notes of the lines which they purport to be as part of said Contract. Certified this 24th day of July 1828.
John Hendricks
Deputy Surveyor.

Subdivision.

Of the portion of "Six mile Square Reserve"
lying in Town 28 North, Range 8 East -
Var. 5°40' E.

North Bottom Section 35 & 36 -

11.39 a Hickory 15 in. dia.
27.20 an ash 14 " "
40.00 Set g. Sec. Post from which
an ash 36 in. dia. bears N 58° W 14 W. dist. 8
a Spruce 30 " " " N 86° E 24 " "
54.64 an ash 36 " "
70.59 a Hickory 15 " "
80.00 Set post cor. to Secs. 25, 26, 35 & 36 from which
a Hickory 12 in. dia. bears S 58° E 7 W. dist. 8
a Beech 12 " " " S 63° W 17 " "
Land lent & sold - Beech, Oak, Hickory, Elm,
Ash, Sycamore, Maple, Spruce & Spice &

East on Random Bottom Section 25 & 36 -

80.04 Interior E. Bound. line 3 W. South of post -
Land rolling good 2nd rate. Beech, Sugar,
Oak, Ash, Elm, Hickory, Spruce & Spice &

West corner Bottom Section 25 & 36 -

W 28 N. - R. & E. 2nd Mer. Indiana.

- 21.68 a Beech 18 in. dia.
 40.02 Lrg. Sec. Post from which
 an Elm 15 in. dia. bears N 23 E 14 W. dist. 9
 a Hickory 24 " " " N 85 W 30 " "
 55.34 a Do 14 " "
 67.18 a Sugar 15 " "
 80.04 To Sec. Corner.

North between Secs. 25 & 26.

- 16.01 an Ash 18 in. dia.
 27.14 a Beech 22 " "
 38.00 a Stream 50 W. side Corn. N. W.
 40.00 Lrg. Sec. post from which
 a Buckeye in. dia. bears N 8 E 16 W. dist. 9
 a Hackberry 12 " " " N 84 E 15 " "
 54.18 a Beech 16 " "
 72.68 a Hickory 24 " "
 80.00 Lrg. post Cn. to Secs. 23, 24, 25 & 26 fr. which
 a Beech 18 in. dia. bears N 76 E 27 W. dist. 9
 a Do 12 " " " N 34 W 20 " "
 Sand rolling 2nd rate. Beech, Oak, Sugar,
 Ash, Elm, Hickory, Syc. & Spice &c

East on Random between Secs. 24 & 25-

- 80.13 Intersect E. Round. line 27 W. S. of Post -
 Sand rolling 2nd rate. Beech, Oak, Hickory,
 Elm, Ash, Sugar, Syc. &c. No underbrush.

West corner between Secs. 24 & 25-

- 10.46 a Beech 36 in. dia.
 28.65 a Do 18 " "
 40.07 Lrg. Sec. Post at average dist. from which
 a Beech 18 in. dia. bears S 4 W 6 W. dist. 9
 a Do 18 " " " N 26 E 37 " "
 52.77 a Do 16 " "
 80.13 To Sec. Corner

263

W. D. N. W. R. 8 E. 2nd Mer. Indiana.

Measured on the Range line from the Cor.
of Secs. 24 & 25 - North 26.56 to the South
Boundary of Grant No. 32 to Peter Gorin
Set post on Range line in said Boundary -
an Elm 10 in. dia. bears S 85 E 8 1/2 W. dist. 1/2
at Beech 24 " " " N 69 W 27 " "

North Between Secs. 23 & 24 -

10.40 at Beech 28 in. dia.
26.87 a Sugar 7 " "
31.00 Descend to River bottom
40.00 Set q. Sec. post from which
at Beech 18 in. dia. bears N 73 W 8 1/2 W. dist. 1/2
a Do 30 " " " S 52 E 21 " "
57.41 a Do 18 " "
71.70 a Do 24 " "
80.00 Set post cu. to Secs. 13, 14, 23 & 24 from which
at Beech 10 in. dia. bears N 65 E 23 1/2 W. dist. 1/2
at Bur Oak 15 " " " S 77 W 12 " "
Sand, South of bottom, rolling & good, the
River bottom stony, unarch & wet. Beech,
Oak, Elm, Hickory, Sycamore, Ash, Sugar &c
undergrowth Spice. Saw &c.

East Between Secs. 13 & 24 -

10.75 a Sycamore 6 in. dia.
20.14 Intersect N. Bound. of Grant No. 32 to
Peter Gorin Set post in said line fr. which
at Buckeye 15 in. dia. bears S 70 E 5 1/2 W. dist. 1/2
a Do 8 " " " S 7 W 15 " "
Measured along said West Boundary
North 38.20 to the N.W. corner on the
Nebraska River - October 27th 1839 -

North Between Secs. 13 & 14 -

19.03 at Hackberry 28 in. dia.

Sec. 28 N. - W. 8 E. 2nd Mer. Indiana.

- 40.00 Set g. Sec. post from which
 a Sugar 42 in. dia. bears S 30 E 27 W. dist. 8
 a Walnut 12 " " " N 11 W 21 " "
 47.65 Intersect Left bank of Wabash & set post
 between Section 13 & Grant N. 33 to Black-
 Lion from which
 a Hackberry 14 in. dia. bears S 30 W 28 W. dist. 8
 an Elm 8 " " " S 34 E 25 " "

North Bottom Sec. 34 & 35-

- 17.14 a Beech 10 in. dia.
 37.50 a Do 12 " "
 40.00 Set g. Sec. post from which
 a Poplar 30 in. dia. bears N 29 E 23 W. dist. 8
 a W. Oak 40 " " " N 40 W 23 " "
 58.72 a Beech 18 " "
 78.70 a W. Oak 30 " "
 80.00 Set post ca. to Sec. 26, 27, 34 & 35 from which
 a Beech 24 in. dia. bears S 66 E 5 W. dist. 8
 a Do 16 " " " N 57 W 22 " "
 Sand rolling 2nd rate. Beech. Oak. Elm.
 Ash, Sugar, Poplar, Hickory, Syc. & no underbrush

East on Random between Sec. 26 & 35-

- 80.06 Intersect M. line 4 W. E. of post-
 Sand rolling 2nd rate. Beech. Oak. Ash. Elm.
 Sugar. Hickory, Syc. & no underbrush

West corner between Sec. 26 & 35-

- 13.94 a Poplar 48 in. dia.
 29.10 a Hickory 18 " "
 40.03 Set g. Sec. post at average dist. from which
 an Elm 14 in. dia. bears S 77 E 29 W. dist. 8
 a Sugar 24 " " " N 53 W 35 " "
 55.17 a Hickory 8 " "
 65.30 a Poplar 40 " "

265

T. 28 N. - R. 8 E. T²nd Mer. Indiana.

80.06 To Lee Corner

North Return Sect. 26 & 27 -

13.72 a Buckeye 12 in. dia.

31.27 Intersect South Boundary of Grant N^o.

34 To "Duck" & set post from which

a Beech 18 in. dia. bears N 39 E 30 1/2 W. dist.

a Do 18 " " " S 6 E 17 " "

Measured along said South Boundary

East 9.05 to S. E. cor. of said Grant.

Land rolling 2nd rate. Beech. Oak. Sugar.

Ash. Elm. Hickory. Buckeye &

no ungt.

October 28th 1839 -

Measured from the Co. to Sect. 23, 24, 25 & 26

North --- to the S. E. Corner of Grant N^o.

33 To "Black Loon"

West on True line between Sect. 23 & 26 -

12.85 a Beech 18 in. dia.

40.00 Set gr. Lee. post from which

a Beech 24 in. dia. bears N 77 W 14 1/2 W. dist. &

a Do 16 " " " S 6 E 45 " "

44.35 a Sugar 18 " "

65.53 a Hickory 30 " "

71.15 Intersect East Boundary of Grant N^o 34

To "Duck" & set post from which

an Ironwood 12 in. dia. bears N 72 E 10 1/2 W. dist. &

an Ash 12 " " " N 37 W 37 " "

Measured North along said Reservation

line 13.61 to the S. W. Corner of Grant.

N^o 33 to "Black Loon"

Land rolling & good. Beech. Sugar. Oak.

Ash. Elm. Hickory. Syc. Spruce &c.

North Return Sect. 33 & 34 -

13.76 a Sugar 15 in. dia -

W D S. N. R. & E. 2nd Mer Indiana

- 33.16 a Beech 10 in. dia.
 40.00 Set g. Sec. post from which
 a Beech 18 in. dia. bears N 34 W 17 W. dist. X
 a Do 18 " " " S 54 E 36 " "
 51.97 a Do 20 " "
 65.96 a Sugar 18 " "
 80.00 Set post east to Sec. 27, 28, 33 & 34 from which
 a Beech 24 in. dia. bears S 81 W 10 W. dist. X
 a Do 24 " " " S 44 E 20 " "
 Sand rolling & good. Beech. Sugar. Oak,
 Ash. Blue Hickory. Syc. Spice &c

East on Random between Sec. 27 & 34 -
 80.00 Enter at N. line 10th. E. of post -
 Sand rolling 2nd rate. Beech. Oak. Ash. Elm,
 Sugar. Hickory. Poplar. Syc. Spice &c

- West corner between Sec. 27 & 34 -
 16.69 an Ironwood 6 in. dia.
 33.17 a B. Oak 36 " "
 40.00 Set g. Sec. post at same dist. from which
 a Beech 18 in. dia. bears N 71 E 44 W. dist. X
 a Hickory 14 " " " S 80 W 18 " "
 53.13 a Do 15 " "
 75.15 a Poplar 36 " "
 80.00 To Sec. Corner.

- North between Sec. 27 & 28 -
 18.64 an Ash 30 in. dia.
 30.53 a Do 24 " "
 32.00 Enter a Willow Swamp.
 37.00 Leave the " "
 40.00 Set g. Sec. post from which
 an Ash 15 in. dia. bears N 81 W 5 W. dist. X
 an Elm 16 " " " S 38 E 14 " "
 57.93 a Syc. 12 " "

267

N. 28 N. R. 8 E. 2nd Mer. Indiana.

68.71 a W. Oak 30 in. dia.

80.00 Set post into Secs. 21. 22. 27 & 28 from which
a Buckeye 18 in. dia. bears N 33 W 15 W. dir. &
a W. Oak 18 " " " N 33 E 40 " "

Land, South of the Swamp, rolling 2nd rate.
North of Sup. level 1st rate. Beech. Sugar.
Oak. Ash. Elm. Walnut. Hickory, Buckeye
Syc. Spruce &c

East Between Secs. 22 & 27 -

9.34 Intersect West Boundary of Grant N^o

34 to "Duck" & set post from which
an Ash 24 in. dia. bears S 84 E 17 W. dir. &
a Do 20 " " " S 48 W 29 " "

Measured from Cu. of Secs. 22 & 27 along
said West Boundary, North 12.50 to the
N. W. Cu. of said Grant. on Wabash River.

North Between Secs. 21 & 22 -

8.63 Intersect Left bank of Wabash River
& set post from which

a Maple 10 in. dia. bears S 89 E 68 W. dir. &
a B. Oak 12 " " " S 33 W 41 " "

October 29th 1839 -

North Between Secs. 32 & 33

16.42 a Beech 15 in. dia.

30.57 a Do 24 " "

40.00 Set q. Sec. post from which

a Poplar 18 in. dia. bears S 9 W 15 W. dir. &
a Beech 12 " " " N 15 W 26 " "

57.61 an Ash 24 " "

63.00 Enter a Willow Swamp -

73.50 Leave the Swamp -

80.00 Set post into Secs. 28. 29. 32 & 33 from which
a Swamp Ash 15 in. dia. bears N 16 W 31 W. dir. &

N. D. N. R. & E. 2nd Mer. Indian.

a Swamp Ash 12 in. dia. bears N 24 E 35th dist.
 Sand, South of Swamp, rolling 2nd rate.
 Beech, Oak, Sugar, Ash, Elm, Hickory, Poplar, Spruce.
 At 63.88 on this line Intersect the
 S. W. corner of Grant N^o 35- Confirmed
 to Me-cha-ne-quaw.

North Between Secs. 28 & 29-

10.92 an Ash 20 in. dia.
 14.00 a Stream 20th wide corner N. W.
 23.59 Intersect Left bank of Mabash River
 Set post from which
 an Elm 30 in. dia. bears S 5 W 100th dist.
 a Hackberry 30 " " S 48 E 78 "
 Sand all River bottoms.

October 30th 1839-

North Between Secs. 31 & 32

14.94 a Beech 18 in. dia.
 26.61 a Do 20 " "
 40.00 Set op. Sec. Post from which
 a Beech 20 in. dia. bears N 37 E 19th dist.
 a Walnut 12 " " S 39 W 45 " "
 34.12 a Sugar 28 " "
 62.60 Intersect Left bank of Mabash River
 Set post from which
 a Hackberry 24 in. dia. bears N 86 E 31st dist.
 a Spruce 28 " " N 32 W 32 " "
 Measured from the Township line along
 the West Boundary of the Six mile Run
 North 64.61 to the Left bank of the
 Mabash River -
 Sand rolling & first rate.

West Between Secs. 29 & 32

15.83 a Beech 15 in. dia.

269

N 28 N. - W. 8 E. 2nd Mer. Indiana.

25.71 Intersect left bank of Mabash River.
 Is a post from which
 an Elm 40 in. dia. bears S 68 E 25 W. dist.
 at Mackinac 18 " " " S 1 W 65 " "
 Sand all River bottom -

Meanders of the left bank of
 Mabash River. Beginning at the
 West Boundary of the Six Mile
 Reservation thence Up Stream

Courses	Distances	Remarks
S 71 E	5.14	In Sec. 31 To line of Sec. 31 & 32

S 71 E	12.50	In Sec. 32
--------	-------	------------

S 66 E	8.50
--------	------

S 82 E	10.50
--------	-------

N 69 E	5.50
--------	------

N 45 E	7.00
--------	------

N 33 E	17.00
--------	-------

N 35 E	7.27	To post in line of Sec. 29 & 32
--------	------	---------------------------------

N 37 E	15.50	In Sec. 29 - at 13.00 a Stream 15 W. wide from S. E.
--------	-------	---

N 37 E	10.50	at 9.50 Lower end of Island
--------	-------	-----------------------------

S 87 E	3.00
--------	------

N 39 E	7.20	To W. Bound. of Grant N. 35 -
--------	------	-------------------------------

From E. Bound. of Grant N. 35 -

N 70 E	4.50	In Sec. 22 -
--------	------	--------------

N 64 E	4.00
--------	------

N 69 E	1.64	To W. Bound. of Grant N. 34 -
--------	------	-------------------------------

From E. Bound. of Grant N. 33 -

S 82 E	3.25	In Sec. 13 -
--------	------	--------------

S 70 E	3.50
--------	------

S 52 E	8.00
--------	------

T²⁸ N. R. 8 E. 2nd Mer. Indiana.

468 E 4.00

470 E 4.06 To N. Bound. of Grant N^o 32
November 1st 1839-

Meanders of an Island in the
Wabash River. From the Post on
the Left Bank of River between Ranges
8 & 9 East, a Hackberry on the Island
beats

Courses	Distances	Remarks.
N 5 E	1.77	To Said tree thence
N 59 E	2.50	
N 78 E	4.00	
N 86 E	5.50	
N 77 E	9.00	
N 87 E	3.50	
N 11 E	2.50	
N 76 W	8.00	
S 74 W	15.00	
S 53 W	5.00	
S 14 E	3.00	
N 56 1/2 E	1.58	To Place of beginning on Island.

I hereby certify that in Pursuance of a
Contract with E. S. Maines Sur. General
of the United States for the States of Ohio,
Indiana and Michigan, bearing date
the 30th day of April 1839. and in
strict Conformity to the laws of the
United States, and the instructions of
Said Surveyor General. I have Subdivided
into Sections Fractional Township 28
North, Range 8 East, in the State of
Indiana.

And I do further certify that
the foregoing are the true and original

271

W. D. N. R. & E. J. Meridian.

*Field Notes of the Said Subdivision
executed as aforesaid.*

Certified this 31st day of October 1839-

*C. Carter Dep. Surveyor
E. Parquhar
W. Miller 3 Chairmen
W. T. Thayer, Marker*

*Meanders of Left bank of the
Nabash River in fractional
Section 31 - Commencing at Post in
West Boundary of Six mile Reserve
thence down stream*

<i>Courses</i>	<i>Distances</i>	<i>Remarks</i>
<i>N 77 W</i>	<i>5.50</i>	<i>In Sec. 31-</i>
<i>S 76 W</i>	<i>8.00</i>	
<i>S 51 W</i>	<i>17.00</i>	
<i>S 48 W</i>	<i>5.50</i>	
<i>S 74 W</i>	<i>6.50</i>	
<i>S 84 W</i>	<i>5.50</i>	<i>5.00 at Brook 10 W. wide p. South</i>
<i>N 83 W</i>	<i>5.25</i>	
<i>S 87 W</i>	<i>23.00</i>	<i>10.50 Head of an Island 18.00 Port of Do</i>
<i>N 84 W</i>	<i>3.00</i>	
<i>S 83 W</i>	<i>1.87</i>	<i>To Post in W. Boundary line</i>

*Surveyed in 1823 by
Josiah B. Polk
Dep. Surveyor*

Camp 2

Twp 28 N. - R. 8 E. 2nd Mer. Indiana.

I Certify that the foregoing transcript
of the Field Notes of Township 28 North.
Range 8 East of the 2nd Meridian,
in Indiana, has been compared
with the original in this Office, and
found to be correct.

Survey General's Office.
Cincinnati, October 26th 1843

William Johnston
Surr. Genl.